

## AkroFoam Master Stream Nozzle with Pickup Tube

### STYLE 4470

The Akrofoam foam nozzles are self-educing master stream nozzles designed for educating foam at flow rates up to 1000 gpm (4800 lpm). Contact a distributor today to learn more about our master stream foam nozzles.

### Features

These foam nozzles have the following features:

- Rugged/Corrosion Resistant Brass Construction
- Factory set at 500 gpm (1900 lpm) and field changeable to 350,750, or 1000 gpm (1325,2900, or 3800 lpm)
- Optional Foam Shutoff Valve, Drum Seal Kit & Quick Connect
- Metering capability of 1%, 3%, & 6% for 350 & 500 GPM, and 1% & 3% for 750 & 1000 gpm.




### Specifications

Type	Foam
Flow (GPM)	350-500-750-1000
Flow (LPM)	1300-1900-2800-3800
Inlet	2 1/2" (65 mm)
Weight	25 lbs (11.3 kg)
Length	12 1/2" (318 mm)
Width	6" (152 mm)
Height	9 1/8" (232 mm)
Warranty	
Material	Brass
Country of Manufacture	

# AkroFoam Master Stream Nozzle with Pickup Tube

STYLE 4470



ST	
PROPORT	
GPM	350
LPM	1300
1%	A
3%	B
6%	C